

SECTION 1: IDENTIFICATION

Product identifier

| | |
|-----------------------------|--|
| Product Name | HUSKY 708 HD LOW ODOR FLOOR STRIPPER |
| Authorization number | F708-001 HSK-708-10 |
| Recommended Use | Floor Finish Remover |
| Uses advised against | Restrictions on use: Do not use in any fashion not specified on the product label. |

Manufacturer/Supplier

Canberra Corporation
 3610 N. Holland-Sylvania Rd.
 Toledo Ohio 43615
 United States

Telephone: +1 (419) 841-6616
 Website: <http://canberracorp.com/>

e-Mail (competent person) regulatorycompliance@canberracorp.com

Emergency telephone number 800-424-9300

National poison center 800-222-1222

SECTION 2: HAZARD(S) IDENTIFICATION

Classification acc. to GHS

| | |
|--|-------|
| Acute toxicity (oral). | H302. |
| Skin corrosion/irritation. | H314. |
| Serious eye damage/eye irritation. | H318. |
| Specific target organ toxicity - single exposure (respiratory tract irritation). | H335. |
| Flammable liquid. | H227. |

Label elements

Signal word Danger

Pictograms



Hazard statements

Combustible liquid.
 Harmful if swallowed.
 Causes severe skin burns and eye damage.
 May cause respiratory irritation.

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.
 Do not breathe dusts or mists.
 Wear protective gloves/eye protection/face protection.
 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 Immediately call a poison center/doctor.
 In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.
 Store in a well-ventilated place. Keep container tightly closed.

Hazardous ingredients for labelling

Ethanolamine, Sodium Hydroxide, Butoxyethanol,
Benzyl alcohol**Other hazards**

This material is combustible, but will not ignite readily.

Hazards not otherwise classified

May be harmful in contact with skin (GHS category 5: acutely toxic - dermal).

May be harmful if inhaled (GHS category 5: acutely toxic - inhalation).

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Name of substance | Identifier | Wt% |
|-------------------|--------------------------------|-----------|
| Ethanolamine | CAS No 141-43-5 | 10 - < 25 |
| Butoxyethanol | CAS No 111-76-2 | 10 - < 25 |
| Benzyl alcohol | CAS No 100-51-6 | 10 - < 25 |
| Sodium Hydroxide | CAS No 1310-73-2 | 1 - < 5 |
| Methanol | CAS No 67-56-1 3775-90-4 | < 1 |

For full text of abbreviations: see SECTION 16.

SECTION 4: FIRST-AID MEASURES**Following inhalation**

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

Indication of any immediate medical attention and special treatment needed

none

SECTION 5: FIRE-FIGHTING MEASURES**Suitable extinguishing media**

Water spray, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Nitrogen oxides (NO_x), Carbon monoxide (CO), Carbon dioxide (CO₂)

Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures**

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

SECTION 7: HANDLING AND STORAGE**Precautions for safe handling**

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Never add water to this product. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

- Handling of incompatible substances or mixtures

Do not mix with acids.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

Protect against external exposure, such as frost

- Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

See section 16 for a general overview.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

| | |
|-------------------------------------|----------------------------------|
| Physical state | Liquid |
| Color | Colorless |
| Odor | None |
| pH (value) | 11.5 – 14 (base) |
| Melting point/freezing point | Not determined |
| Evaporation rate | Not determined |
| Flammability (solid, gas) | Not relevant (fluid) |
| Density | Not determined |
| Relative density | 1.02 – 1.06 at 20 °C (water = 1) |
| | |

SECTION 10: STABILITY AND REACTIVITY**Reactivity**

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

Chemical stability

See below "Conditions to avoid".

Possibility of hazardous reactions

No known hazardous reactions.

Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

Incompatible materials

Oxidizers

Release of flammable materials with

Light metals (due to the release of hydrogen in an acid/alkaline medium)

Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: TOXICOLOGICAL INFORMATION**Information on toxicological effects**

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)**Acute toxicity**

Harmful if swallowed.

GHS of the United Nations, annex 4: May be harmful in contact with skin or if inhaled.

- Acute toxicity estimate (ATE)

Oral 1,815 mg/kg

| Acute toxicity estimate (ATE) of components of the mixture | | | |
|--|----------|-------------------|-------------|
| Name of substance | CAS No | Exposure route | ATE |
| Ethanolamine | 141-43-5 | oral | 500 mg/kg |
| Ethanolamine | 141-43-5 | dermal | 1,100 mg/kg |
| Ethanolamine | 141-43-5 | inhalation: vapor | 11 mg/l/4h |
| Butoxyethanol | 111-76-2 | oral | 1,414 mg/kg |
| Butoxyethanol | 111-76-2 | dermal | 1,100 mg/kg |
| Butoxyethanol | 111-76-2 | inhalation: vapor | 11 mg/l/4h |

| Acute toxicity estimate (ATE) of components of the mixture | | | |
|--|----------------------|-----------------------|----------------|
| Name of substance | CAS No | Exposure route | ATE |
| Benzyl alcohol | 100-51-6 | oral | 1,580 mg/kg |
| Benzyl alcohol | 100-51-6 | inhalation: vapor | 11 mg/l/4h |
| Benzyl alcohol | 100-51-6 | inhalation: dust/mist | >4.178 mg/l/4h |
| Methanol | 67-56-1 3775-90-4 | oral | >800 mg/kg |
| Methanol | 67-56-1 3775-90-4 | dermal | 300 mg/kg |
| Methanol | 67-56-1 3775-90-4 | inhalation: vapor | 3 mg/l/4h |

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

| IARC Monographs on the Evaluation of Carcinogenic Risks to Humans | | | |
|---|----------|----------------|--------|
| Name of substance | CAS No | Classification | Number |
| Butoxyethanol | 111-76-2 | 3 | |

Legend

3 Not classifiable as to carcinogenicity in humans

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: ECOLOGICAL INFORMATION**Toxicity**

Shall not be classified as hazardous to the aquatic environment.

Persistence and degradability

Data are not available.

Bioaccumulative potential

Data are not available.

Mobility in soil

Data are not available.

Results of PBT and vPvB assessment

Data are not available.

Endocrine disrupting properties

None of the ingredients are listed.

Other adverse effects

Data are not available.

SECTION 13: DISPOSAL CONSIDERATIONS**Waste treatment methods**

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: TRANSPORT INFORMATION**UN number****DOT**

UN 3267

IMDG-Code

UN 3267

ICAO-TI

UN 3267

UN proper shipping name

| | |
|-----------|--|
| DOT | Corrosive liquid, basic, organic, n.o.s. |
| IMDG-Code | CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. |
| ICAO-TI | Corrosive liquid, basic, organic, n.o.s. |

Transport hazard class(es)

| | |
|-----------|---|
| DOT | 8 |
| IMDG-Code | 8 |
| ICAO-TI | 8 |

Packing group

| | |
|-----------|-----|
| DOT | III |
| IMDG-Code | III |
| ICAO-TI | III |

| | |
|------------------------------|---|
| Environmental hazards | non-environmentally hazardous acc. to the dangerous goods regulations |
|------------------------------|---|

SECTION 15: REGULATORY INFORMATION**National regulations (United States)****Superfund Amendment and Reauthorization Act (SARA TITLE III)**

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

| Toxics Release Inventory: Specific Toxic Chemical Listings | | | |
|--|---------|---------|----------------|
| Name of substance | CAS No | Remarks | Effective date |
| Methanol | 67-56-1 | | 1987-01-01 |

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

| Name of substance | CAS No | Remarks | Statutory code | Final RQ pounds (Kg) |
|-------------------|-----------|---------|----------------|----------------------|
| Sodium Hydroxide | 1310-73-2 | | 1 | 1000 (454) |
| Methanol | 67-56-1 | | 3 4 | 5000 (2270) |

Legend

1 "1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act

3 "3" indicates that the source is section 112 of the Clean Air Act

4 "4" indicates that the source is section 3001 of the Resource Conservation and Recovery Act (RCRA)

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

| Name of substance | CAS No | Functionality | Authoritative Lists |
|-------------------|-----------|---------------|--|
| Butoxyethanol | 111-76-2 | | OEHHA RELs |
| Benzyl alcohol | 100-51-6 | | EU Fragrance Allergens |
| Sodium Hydroxide | 1310-73-2 | | OEHHA RELs |
| Methanol | 67-56-1 | | CA TACs NTP OHAT - Repr. or Dev. Toxicants OEHHA RELs Prop 65 |

- Toxic or Hazardous Substance List (MA-TURA)

| Name of substance | CAS No | DEP CODE | PBT / HHS / LHS | PBT / HHS Threshold | De Minimis Concentration Threshold |
|-------------------|-----------|----------|-----------------|---------------------|------------------------------------|
| Sodium Hydroxide | 1310-73-2 | | | | 1.0 % |
| Butoxyethanol | | 1022 | | | 1.0 % |
| Methanol | 67-56-1 | | | | 1.0 % |

- Hazardous Substances List (MN-ERTK)

| Name of substance | CAS No | References | Remarks |
|-------------------|-----------|------------|---------|
| Sodium Hydroxide | 1310-73-2 | A, N, O | |
| Butoxyethanol | 111-76-2 | A, O | skin |
| Ethanolamine | 141-43-5 | A | |
| Benzyl alcohol | 100-51-6 | I | |

Legend

| | |
|------|--|
| A | American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH |
| I | American Industrial Hygiene Association (AIHA), "Workplace Environmental Exposure Level Guides" (1992), available from AIHA |
| N | National Institute for Occupational Safety and Health (NIOSH), "Recommendations for Occupational Safety and Health Standards," August 1988, available from NIOSH, Publications Dissemination Office, Division of Standards Development and Technology Transfer |
| O | Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part 1910, subpart Z, "Toxic and Hazardous Substances, 1990." General information: Minnesota Department of Labor and Industry, Occupational Safety and Health Division |
| skin | If a potential for absorption from skin contact merits special consideration, the word "skin" follows the substance name. |

- Hazardous Substance List (NJ-RTK)

| Name of substance | CAS No | Remarks | Classifications |
|-------------------|-----------|---------|-----------------|
| Sodium Hydroxide | 1310-73-2 | | CO R1 |
| Butoxyethanol | 111-76-2 | | CA F2 |
| Ethanolamine | 141-43-5 | | CO F2 |
| Methanol | 67-56-1 | | TE F3 |

Legend

| | |
|----|---------------------------|
| CA | Carcinogenic |
| CO | Corrosive |
| F2 | Flammable - Second Degree |
| F3 | Flammable - Third Degree |
| R1 | Reactive - First Degree |
| TE | Teratogenic |

- Hazardous Substance List (Chapter 323) (PA-RTK)

| Name acc. to inventory | CAS No | Classification |
|---------------------------|-----------|----------------|
| SODIUM HYDROXIDE (NA(OH)) | 1310-73-2 | E |
| ETHANOL, 2-BUTOXY- | 111-76-2 | |
| ETHANOL, 2-AMINO- | 141-43-5 | |
| METHANOL | 67-56-1 | E |
| BENZENEMETHANOL | 100-51-6 | |

Legend

E Environmental hazard

- Hazardous Substance List (RI-RTK)

| Name of substance | CAS No | References |
|-------------------|-----------|------------|
| Sodium Hydroxide | 1310-73-2 | T, F |
| Butoxyethanol | 111-76-2 | T |
| Ethanolamine | 141-43-5 | T, F |
| Methanol | 67-56-1 | T, F |

Legend

F Flammability (NFPA®)

T Toxicity (ACGIH®)

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

| Proposition 65 List of chemicals | | | |
|----------------------------------|---------|---------|----------------------|
| Name acc. to inventory | CAS No | Remarks | Type of the toxicity |
| methanol | 67-56-1 | | developmental |

NPCA-HMIS® III

| Category | Rating | Description |
|---------------------|--------|--|
| Chronic | * | chronic (long-term) health effects may result from repeated overexposure |
| Health | 3 | major injury likely unless prompt action is taken and medical treatment is given |
| Flammability | 2 | material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur |
| Physical hazard | 0 | material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive |
| Personal protection | - | |

NFPA® 704

| Category | Degree of hazard | Description |
|----------------|------------------|--|
| Flammability | 2 | material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur |
| Health | 3 | material that, under emergency conditions, can cause serious or permanent injury |
| Instability | 0 | material that is normally stable, even under fire conditions |
| Special hazard | | |

National inventories

| Country | Inventory | Status |
|---------|------------|--------------------------------|
| EU | REACH Reg. | not all ingredients are listed |
| US | TSCA | all ingredients are listed |

Legend

REACH Reg. REACH registered substances
TSCA Toxic Substance Control Act

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION**Key literature references and sources for data**

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|--|
| H227 | Combustible liquid. |
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |
| H335 | May cause respiratory irritation. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product. Disclaimer: No representation or warranty, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature, is made with respect to information concerning the product referred to in this document. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, it is impossible to foresee every health effect or exposure risk incurred by the use of this product. All chemicals present some degree of hazard and should be used with caution. The information and recommendations contained herein are presented in good faith. The user should review this information in conjunction with their knowledge of the application intended to determine the suitability of this product for such purpose. In no event will the supplier be responsible for any damages of any nature whatsoever, resulting from the use, reliance upon, or the misuse of this information. Furthermore, it is the direct responsibility of the user to comply with all applicable regulations governing the use and disposal of this material. .