

# SAFETY DATA SHEET

# **1. Identification**

**Product Identifier:** FILIP PROFESSIONAL 205 LIQUID BREAK PH BOOSTER **Application or recommended use:** Laundry additive

**Restrictions on use:** Do not use in any fashion not specified on the product label.

Manufacturer / supplier: R.D. Filip Inc.

1236 N. Main St.

Kokomo, IN 46901 USA 800-686-5115 Emergency pho

Emergency phone: 800-424-9300 National Poison Center: 800-222-1222

#### 2. Hazards Identification

GHS Classification:Classification of this mixture in accordance with paragraph (d) of §1910.1200.<br/>Skin Corrosion/Irritation - Category 1A<br/>Eye Damage/Irritation - Category 1<br/>Corrosive to Metals - Category 1

Label Elements:

Symbol:

**Telephone:** 



	bymooi.	
	Signal word:	DANGER
	Hazard statements:	Causes severe skin burns and serious eye damage. May be corrosive to metals.
	Precautionary stateme	ents: Do not breathe mist/vapors/spray.
		Wash hands, face and any skin contact thoroughly after handling.
		Wear protective gloves/protective clothing/eye protection/face protection.
		IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
		IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with
		water/shower. Wash contaminated clothing before reuse.
		IF INHALED: Remove person to fresh air and keep comfortable for breathing.
		IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present
		and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
		See <u>4. First-Aid Measures</u> for specific treatment.
		Store locked up.
		Dispose of contents/container to an approved disposal facility.
0	ther Hazards: None k	nown

### 3. Composition / Information on Ingredients

**Chemical characterization:** Dilute sodium hydroxide solution, blended with detergents and auxiliary agents. **Hazardous ingredients:** The exact percentage of composition has been withheld as a trade secret.

10 - 25% Potassium hydroxide CAS 1310-58-3 FINECS/FLINCS 215-181-3

10 - 25% Potassiulli liyuloxide	CAS 1510-50-5, EINECS/ELINCS 215-101-5			
5 - 15% Sodium hydroxide	CAS 1310-73-2, EINECS/ELINCS 215-185-5			
1 - 5% Etidronic acid	CAS 2809-21-4, EINECS/ELINCS 220-552-8			
1 - 5% Alkyl polyglucoside	CAS 68515-73-1, EINECS/ELICS 500-220-1			
1 - 5% Alkyl polyglucoside	CAS 110615-47-9, EINECS/ELICS 600-975-8			
Other ingredients (> 1%):				
>50% Water	CAS 7732-18-5, EINECS/ELINCS 231-791-2			

### **<u>4. First-Aid Measures</u>**

Symptoms: Causes irritation or burning sensation. Causes severe skin burns and serious eye damage.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **Inhalation:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth to an unconscious person. If respiratory irritation, dizziness, or unconsciousness occurs, seek immediate medical assistance.

**Skin Contact:** Remove contaminated clothing and wash before reuse. Wash contaminated area with soap and water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**Revision Date: N/A** 

**Eye Contact:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

### 4. First-Aid Measures (cont.)

**Ingestion:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to a person who is unconscious or convulsing. If vomiting occurs, keep head below hips to reduce risk of aspiration. Probable mucosal damage may contraindicate the use of gastric lavage.

Note to Physician: Treat exposed patients symptomatically.

# **5. Fire-Fighting Measures**

Suitable Extinguishing Media: Not applicable. Product is not a fire hazard.

Unsuitable Extinguishing Media: High pressure water jet.

Specific hazards in case of fire: None known.

**Special Fire Fighting Precautions:** Fire fighters should wear appropriate protective equipment, including self-contained breathing apparatus and impervious clothing.

#### **<u>6. Accidental Release Measures</u>**

**Emergency Procedures:** Depending on the extent of release, consider the need for emergency responders with adequate personal protective equipment for clean up, need for evacuation or restriction of access to spill area.

**Personal Precautions:** Do not eat, drink or smoke during clean up. Wear protective clothing, eye protection and impervious gloves (e.g. neoprene). Wash thoroughly after clean up.

Environmental Precautions: Prevent spills from entering storm sewers/drains or contact with soil.

**Clean up Methods:** Small spills may be wiped up and rinsed with water. For larger spills, contain spill with inert material (sand, clay). Transfer material to labeled containers for recovery or proper disposal. After removal, flush area with water. Follow good industrial hygiene practices.

### 7. Handling and Storage

**Precautions for Safe Handling:** Read label before use. Avoid contact with skin or eyes. Do not breathe mist/vapors. Wash hands, face and any skin contact thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves, protective clothing, eye protection, face protection. Use product only according to label directions. If unsure about safe use, contact your supervisor. Use only in a well-ventilated area.

**Conditions for Safe Storage:** Keep out of reach of children. Do not contaminate water, food or feed by storage and disposal. Store locked up in tightly closed, original container in a cool  $(10^\circ - 30^\circ C)$ , dry area.

Incompatibility: Acids, oxidizers. Do not mix with anything but water.

# 8. Exposure Controls / Personal Protection

Components with occupational exposure limits:				
Component	Reference	TWA	PEL	
Sodium hydroxide	ACGIH	$2 \text{ mg/M}^3$		
	OSHA		$2 \text{ mg/M}^3$	
Potassium hydroxide	ACGIH	2 mg/M3 (ceil	ling)	
-	OSHA	-	2 mg/M3 (ceiling)(vacated)	

Engineering Controls: Proper ventilation in accordance with good industrial hygiene should be provided.

#### **Personal Protective Equipment**

**Respiratory:** Respiratory protection is not necessary under normal conditions of use. If necessary to prevent exposure above occupational limits, use an approved cartridge style respirator.

**Gloves:** Use water impervious gloves (latex or neoprene rubber). No breakthrough time has been established. **Eye Protection:** Chemical resistant goggles and face protection.

Other: Protective clothing (long sleeves, pants), eyewash, safety shower are always advisable when working with chemicals.

#### 9. Physical and Chemical Properties

Physical State -	Liquid	Auto-ignition temperatu	<b>ure</b> - Not applicable
Color -	Dark Blue	Flash Point -	None
Odor -	None	Flammability -	Not applicable
<b>Odor Threshold</b>	- No data available	Flammability Limits -	Not applicable
<b>Boiling Point -</b>	212°F	Partition coefficient -	Not applicable
Decomposition to	emperature - No data available	Solubility (Water) -	Complete
Freezing Point -	32°F	Vapor Density -	No data available
pH (Neat) -	13.0 - 14.0	Vapor Pressure -	No data available
<b>Relative Density</b>	- 1.15 - 1.20	Viscosity -	Water thin
<b>Evaporation Rat</b>	e - Similar to water	% VOC -	< 0.5 (Excluding exempt material)

# **10. Stability and Reactivity**

Reactivity: No specific reactivity test data is available for this mixture. Under normal conditions of storage and use, hazardous reactions are not expected. Incompatible materials: Acids, Oxidizers. Chemical stability: This product is stable at ambient temperatures and atmospheric pressures. Conditions to avoid: Temperatures above 50°C or below 10°C. Hazardous decomposition products: None known.

# **11. Toxicological Information**

Acute Toxicity: Toxicity data is not available for this mixture. Data below are estimates based on summation methods.				
Test	Results	Classification (A.0.4.1)	c)) Basis (A.1.3.6.1)	
Oral	> 2000mg/kg	Not applicable	Ingredient literature (Additive formula)	
Dermal	> 2000mg/kg	Not applicable	Ingredient literature (Additive formula)	
Inhalation	> 20  mg/L	Not applicable	Ingredient literature (Additive formula)	
Eye Damage/Irritation	Corrosion	Category 1	Ingredient literature	
Skin Damage/Irritation	Corrosion	Category 1B	Ingredient literature	
Summary: Skin and eye contact are most likely routes of exposure. Exposure causes skin burns and serious eye damage.				

#### Subchronic/Chronic Toxicity:

Test	Results	Classification	Basis	
Skin Sensitization	Not a sensitizer	Not applicable	Ingredient literature.	
Summary: Repeated or prolonged contact causes skin burns and serious eye damage.				

Carcinogens - Ingredients are not listed on the NTP Report on Carcinogens, IARC Monographs or by OSHA Other data - No other toxicological information is available for this mixture.

#### **12. Ecological Information**

This material has not been tested for acute environmental effects.

Persistence and degradability: Material is not persistent. All organic components > 1% are readily biodegradable. Bio-accumulative potential: No evidence to suggest bio-accumulation will occur. Mobility: Accidental spillage may lead to penetration of soil and groundwater.

#### **13. Disposal Considerations**

RCRA Class - D002. Do not contaminate water, food or feed by disposal. If these materials cannot be disposed of by use according to label directions, contact your State Environmental Control Agency, or the hazardous waste representative at the nearest EPA Regional Office for guidance. Rinse container promptly after emptying. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill. If container is one gallon or less, wrap empty container in plastic bag and discard in trash.

### **14. Transport Information**

Proper Shipping Name: UN3266 Corrosive Liquid, basic, inorganic, n.o.s. (sodium hydroxide, potassium hydroxide) **RQ** - 1000 Lbs. (Sodium hydroxide), 1000 Lbs. (Potassium hydroxide)

Shipping emergency phone: 800-424-9300

Transport hazard class:	8	Hazard Label: Corrosive (When shipped as	s a Limited Quantity, labeling is not required.)
Packing Group:	II	<b>Emergency Guide No.:</b> 154	Marine Pollutant: No

#### **15. Regulatory Information**

Inventory status: All components are listed on TSCA(US), EINECS/ELINCS(EU), DSL(Canada), AICS(Australia), ENCS(Japan).

OSHA Hazard Communication Standard: This product meets the §1910.1200 definition of a "Hazardous Chemical".

Superfund Amendments and Reauthoriz	zation Ac	t of 1986 Title III (EPCRA) Sections 31	1 and 312
Immediate (Acute) Health Hazard	Yes	Delayed (Chronic) Health Hazard	No
Fire Hazard	No	Reactive Hazard	No
Sudden Release of Pressure Hazard	No		

#### Superfund Amendments and Reauthorization Act of 1986 Title III (EPCRA) Section 313

\*Chemicals marked with an asterisk in "3. Composition/Information on Ingredients" are subject to reporting requirements for Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40CFR Part 372.

#### Pennsylvania/New Jersey/Massachusetts Right to Know

See "3. Composition/Information on Ingredients" for hazardous and top five ingredients over 1% (w/w).

California Proposition 65: This product does not contain a listed substance known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.

# **16. Other information**

Date issued: 20. 07. 2018

#### F205-001 Revision: N/A

**Disclaimer:** No representation or warranty, either expressed or implied, of merchantability, fitness for a particular **purpose, or of any other nature, is made with respect to information concerning the product referred to in this document.** The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, it is impossible to foresee every health effect or exposure risk incurred by the use of this product. All chemicals present some degree of hazard and should be used with caution. The information and recommendations contained herein are presented in good faith. The user should review this information in conjunction with their knowledge of the application intended to determine the suitability of this product for such purpose. In no event will the supplier be responsible for any damages of any nature whatsoever, resulting from the use, reliance upon, or the misuse of this information. Furthermore, it is the direct responsibility of the user to comply with all applicable regulations governing the use and disposal of this material. **Prepared by:** R&D