HOSPECO

Safety Data Sheet Nilosmoke SECTION 1: Identification

1.1 Product identifier:

Product nameNilosmokeRecommended Use:Room Freshener Aerosol

1.4 Supplier's details

Name Address HOSPECO 10966 Industrial Parkway Bolivar, OH 44612 USA

Telephone

330-874-1017

1.5 Emergency phone number(s)

USA Chemtel: 800-424-9300

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

- Flammable aerosols, Cat. 1
- Eye damage/irritation, Cat. 2a
- Specific target organ toxicity (single exposure), Cat. 3
- Gas under pressure, compressed gas

2.2 GHS label elements, including precautionary statements

Pictogram



Signal Word: Danger Hazard statement(s)	• • •
H222	Extremely flammable aerosol
H318	Causes serious eye damage
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H280	Contains gas under pressure; may explode if heated.
Precautionary statement(s)	
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Pressurized container: do not pierce or burn, even after use.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P264	Wash exposed areas thoroughly after handling.
P280ef	Wear eye protection/face protection.

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P337	If eye irritation persists: Get medical advice/attention
P312	Call a poison center/doctor if you feel unwell.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P271	Use only outdoors or in a well-ventilated area.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local, national, and federal requirements.

SECTION 3: Composition/information on ingredients

3.1 Substances

Hazardous components

1. Propane gas Concentration EC no.	10-20 % (weight) 200-827-9
CAS no.	74-98-6
Index no.	601-003-00-5
2. Fragrance Concentration EC no. CAS no.	2.5-10 % (weight) Trade Secret Trade Secret
3. Butane Concentration EC no. CAS no.	10-20 % (weight) 203-448-7 106-97-8

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

General advice	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
If inhaled	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
In case of skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
In case of eye contact	If eye irritation persists: Get medical advice/attention.
If swallowed	In the unlikely event of swallowing contact a physician or poison control center.

- **4.2** Most important symptoms/effects, acute and delayed May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
- **4.3** Indication of immediate medical attention and special treatment needed, if necessary Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Alcohol resistant foam. Powder. Carbon dioxide (CO2).

- **5.2** Specific hazards arising from the chemical Contents under pressure. Pressurized container may explode when exposed to heat or flame.
- **5.3** Special protective actions for fire-fighters Do not use water jet as an extinguisher, as this will spread the fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing gas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

6.2 Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3 Methods and materials for containment and cleaning up

Stop leak if you can do so without

risk. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Avoid breathing gas. Avoid contact with eyes. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

7.2 Conditions for safe storage, including any incompatibilities

Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS).

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1. Propane (CAS: 74-98-6)

PEL (Inhalation): 1000 ppm (OSHA) OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): 1800 mg/m3 (OSHA) OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): 1000 ppm (Cal/OSHA) OSHA Annotated Table Z-1, www.osha.gov

REL (Inhalation): 1000 ppm (NIOSH) OSHA Annotated Table Z-1, www.osha.gov

8.2 Appropriate engineering controls

Provide eyewash station.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

If contact is likely, safety glasses with side shields are recommended.

Skin protection

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.

Respiratory protection

If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.) Odor Odor threshold pH Melting point/freezing point Initial boiling point and boiling range Flash point Evaporation rate Flammability (solid, gas) Upper/lower flammability limits Vapor pressure

Vapor density Relative density Solubility(ies) Partition coefficient: n-octanol/water

Gas, Aerosol Clean Not applicable Not applicable Not applicable 56.1C estimated -156.0 °F (-104.4 °C) PROPELLANT estimated Not applicable Flammable 2.5 % estimated Lower 11.7 % estimated Upper Not applicable Not applicable 0.78-0.81g/mL estimated Not applicable Not applicable

Auto-ignition temperature Decomposition temperature Viscosity Explosive properties Oxidizing properties Not determined Not applicable Not applicable Not applicable Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2 Chemical stability

Material is stable under normal conditions.

10.3 Possibility of hazardous reactions Hazardous polymerization does not occur.

10.4 Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

10.5 Incompatible materials Acids. Strong oxidizing agents.

10.6 Hazardous decomposition products No hazardous decomposition products are known.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity Narcotic effects.

Skin corrosion/irritation

No adverse effects due to skin contact are expected.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitization May cause drowsiness and dizziness. Headache. Nausea, vomiting.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

STOT-single exposure

May cause drowsiness and dizziness.

STOT-repeated exposure

Not classified.

Aspiration hazard

Not an aspiration hazard.

SECTION 12: Ecological information

Toxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow) Propane 2.36

SECTION 13: Disposal considerations

Disposal of the product

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance with local/regional/national/international regulations.

Disposal of contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

Waste treatment

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

SECTION 14: Transport information

DOT (US)

Consumer Commodity ORMD

IMDG

Proper Shipping Description: UN1950, Flammable Aerosols, Class 2.1, LTD QTY

ΙΑΤΑ

Proper Shipping Description: UN1950, Flammable Aerosols, Class 2.1, EMS F-D, S-U, LTD QTY

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Pennsylvania Right To Know Components

Chemical name: 2-Propanone CAS number: 67-64-1

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

New Jersey Right To Know Components Common name: Propane CAS number: 74-98-6

Pennsylvania Right To Know Components Chemical name: Propane CAS number: 74-98-6

SECTION 16: Other information

This Safety Data Sheet is offered solely for your information, consideration and investigation. There are no warranties, either expressed or implied and no responsibility is assumed for the accuracy or completeness of the data contained herein. Version: 1.0, Date of issue: 2018-07-10